

The new SENCOR® SKS is available for use in a wide variety of wood-working applications. It is offered in a series of models that drive 2 different gauges and 3 different crown widths in lengths from 7/8" – 1-1/2". It is dependable, virtually maintenance free stapler you can depend on for the professional craftsmanship job you demand.



Applications:

Major: drawer assembly, countertop buildup, cabinets, corner and glue block fastening, and spring clip attachment in furniture assembly. Widely used in assembly of doors and window casings, trim, and moldings. On-site construction uses for aluminum and vinyl siding, underlayment, and attachment of roofing sheathing and decking materials.

Other: light crating, agricultural boxes, fencing, and all types of wood crafts

Features and Benefits:

- E-Z Load/E-Z Clear system
- Drives 1-1/2" staples into hard woods
- NeverLube™ design requires no lubrication
- Only 2 moving O-rings
- Quiet operation
- Long 1" lip to get into tight spots


For additional information on how SENCOR Power Fastening Systems will save you time, reduce costs, and increase quality, call our toll-free Action Line: 1-800-543-4596 to find your nearest Authorized Senco Dealer or Distributor. Visit our web site at: www.senco.com

Tool Specifications:

Item #: SKS L12-17: 300020N
 SKS M12-17: 300052N
 SKS N12-17 300084N
 Weight: 4.2 lbs. (1.9 kg)
 Height: 9-3/8" (238 mm)
 Length: 12-3/8" (314 mm)
 Staple Capacity: 145+
 Operating Pressure: 70-120 psig
 Mode of Operation: Tool is available with contact actuation trigger mechanism

Fastener Specifications:

Available Crown Widths 1/4", 3/8", 7/16".
 Lengths: 7/8" – 1-1/2"



Contact Actuation Trigger (also known as dual action, bounce or bottom fire) operates in the following sequence- pull the trigger first and keep the trigger pulled while moving the tool along the work surface with a bouncing motion, depressing the safety element at the nose of the tool against the work surface where the fastener is to be driven. This trigger is recommended for use by trained professionals only in high production or volume applications.

Always read the Operators Manual and Safety Instructions with all tools to ensure proper use and safety precautions or log on to www.senco.com or call 1-800-543-4596 for more information on SENCOR's trigger systems. Choose the right trigger system for your specific needs!